

LEVELS



Crick Box Levels

- Guaranteed to be accurate to .015" of the length of the level
- 3 piece laminated w/ stainless steel binding
- Highest quality level found on the market
- 3 year limited warranty
- Available with hand holes or finger grooves
- Colored vials for higher visibility
- Tempered double strength lenses
- Specially designed ring shank nails to hold binding tight



- 24000 24" Stainless Trim Level w/ Clear Vials
- 24010 24" Stainless Trim Level w/ Green Vials
- 48000 48" Stainless Trim Level w/ Clear Vials
- 48010 48" Stainless Trim Level w/ Green Vials



Johnson Aluminum Box Beam Levels

- 9824-HH 24" Alum. Box Beam Level w/ Hand Holes
- 9848-HH 48" Alum. Box Beam Level w/ Hand Holes



Johnson Mag. Alum. Box Beam Levels

- 9524 24" Mag. Alum. Box Beam Level
- 9548-HH 48" Mag. Alum. Box Beam Level w/ Hand Holes



EcoTech® Laminated Wood Levels

Brass bound

- 724 24" EcoTech® Lam. Wood Level
- 748 48" EcoTech® Lam. Wood Level



Structo-Cast® Levels

- 7724-L 24" Glo Lime Structo-Cast® Level w/ Rule
- 7748-L 48" Glo Lime Structo-Cast® Level w/ Rule



Machined Top-Read Aluminum Levels

- 3724 24" Machined Top-Read Alum. Level
- 3748 48" Machined Top-Read Alum. Level



Machined Top-Read Mag. Alum. Levels

- 3818 18" Mag. Machined Top-Read Mag. Alum. Level
- 3824 24" Mag. Machined Top-Read Mag. Alum. Level
- 3848 48" Mag. Machined Top-Read Mag. Alum. Level

Johnson Torpedo Levels



4500M

- 4500M 9" Magnetic Aluminum Torpedo Level



7500B-LIME

- 7500B-LIME 9" Glo Lime Structo-Cast® Torpedo Level



007

- 007 10" Stealth® Torpedo w/ rare earth magnets

Johnson Squares



400



RAS-1

- 400 12" Metal Combo Square
- RAS-1 7" Aluminum Rafter Angle Square w/ Manual



Johnson Plumb Bob

- 116 Brass, 16 oz

Johnson Line Level



- 555 3", Aluminum



C.H. Hanson Folding Layout Square

- Perfect for carpentry, angle layout, squaring, framing timber, masonry & pavers
- Collapsing triangle guarantees precision layout
- Folds up flat to store away


00345 3' x 4' x 5'

Bosch Protractor Angle Finder



- Angle finder eliminates guesswork.
- Compound cut calculator automatically determines exact miter and bevel settings to make each crown molding cut fit precisely.
- Protractor precisely positions workpiece or intended cut line.
- Built-in vertical and horizontal spirit levels.
- Digital readout displays on front and back

DWM40L
Protractor/Angle Finder



MEASURING TAPES



Big Johnson® Power Tape

- Quick-draw holder with belt clip
- Stand-out reaches 8 feet
- Comfort-grip case is virtually unbreakable

916 16'
925 25'
930 30'



Chrome Pro Tape Rule

- Nylon coated blade
- Triple riveted end hook
- High carbon steel blade

PB425 25' x 1"
PB430 30' x 1"
PB433 33' x 1"



Chrome Pro Tape Nylon Coated

- Nylon coated blade for maximum durability
- Exclusive large grooves on the case for easy gripping
- Triple riveted end hook

535C 35' x 1"



Rubber Grip Tape Acrylic Coated

- Easy grip thick rubber jacket
- 1" wide blade

5425 25' x 1"
5430 30' x 1"



Magnetic Tape Nylon Coated

- Magnetic end hook
- Nylon coating
- Compact case with 1 inch wide blade
- Rubber jacket

7425 25' x 1"
7430 30' x 1"



Nylon Coated Steel/Rubber Grip Case

- Nylon coated blade
- Rubber jacketed case
- Folding rewind crank

9901 100' x 3/8"
9905 50' x 3/8"



Fiberglass Tapes 1 to 1 Ratio

- Durable, double coated, two color blade
- High impact ABS frame
- Inch / metric scale (100 ft.)
- Non-conductive material

6611 100' x 1/2"
6622 200' x 1/2"
6633 300' x 1/2"



Fiberglass Tape 3 to 1 Ratio

- Fast- quick rewind
- Durable double coated blade
- Two color printed blade: white for inch and color for engineer

8811 100' x 1/2"



1' Executive Measuring Wheel

- Wheels made of ABS, PVC
- 4" diameter wheel
- Light and compact

MW 1201 1' Executive Measuring Wheel



3' Professional Measuring Wheel

- 10" diameter Wheel
- Large wheel for rough surfaces

MW 3102 3' Professional Measuring Wheel



Steel Tapes 3 to 1 Ratio

- Permanently bonded nylon coating
- 3X speed winding gear
- High impact ABS frame

N8200 200' 3:1 Ratio



Nylon Coated Steel Tapes

- Permanently bonded nylon coating
- High impact ABS frame
- Blade hook

N6100 100'
N6200 200'

If You Don't See It, Call And Ask About Our Special Order Program

E-MAIL sales@verticalsolutions.net

ROLATAPE
CORPORATION



Measuring Wheel 1' Circumference

- Lightweight, compact and fits in a briefcase
- Measures in feet & inches
- Wide precision molded tire
- Telescoping handle
- 4" wheel diameter

00-12RP



Measuring Wheel 3' Circumference

- EZ-3 Series includes a stand
- 11-1/2" wheel diameter
- 5-digit molded plastic counter measures to 10,000'
- Wide precision molded wheel

00-EZ3



Measuring Wheel 3' Circumference

- Silver powder coat steel wheel with brass axle bushings and wheel stand
- 5-digit molded plastic counter measures to 10,000'
- Measures in feet & inches
- Insert and lock handle
- 11-1/4" wheel diameter

00-30RP



Measuring Wheel 3' Circumference

- Includes stand
- 11-1/4" wheel diameter
- 5-digit ratchet counter measures up to 100,000'
- Calibrated rubber wheel
- Insert and lock handle

00-300S

ZIRCON[®]



Circuit Breaker Finder

- Patented circuit breaker technology
- Quickly and easily allows one person to determine which breaker controls a specific circuit
- Finds standard 120V household circuits fast and easy
- One-hand, one-button operation - no guesswork

59241 CF 12 Breaker Finder



Multi-function Scanner

- Finds both wood and metal studs and joists
- Scans to a depth of 1-1/2"
- Continuously detects and warns of hot, unshielded AC wires
- Finds copper and non-ferrous metal pipes up to 1-1/2" deep, with 1/2" accuracy
- LED display with audio signal and SpotLite[®] Pointing System

58486 TriScanner[™] Pro SL



Stud and AC Finder

- DeepScan technology pinpoints studs (wood and metal) and joists through drywall or paneling up to 1-1/2" thick
- Continuously detects hot, unshielded AC wires for safety
- Automatic TruCal[®] calibration and over the stud indication
- LED display and audio signal stud edges


56521 SS Contractor AC



Electronic Metal and Rebar Finder

- Finds rebar and other metals up to 6" deep through solid concrete or non-metallic surfaces
- Automatically differentiates between magnetic and non-magnetic materials
- Shows location and depth of rebar or metal

58594 MT6 Metal Scanner



LASER LEVELS



LL200 Laser Level

- 400' diameter compensated laser includes receiver, rod and tripod in the case
- Compensated leveling - maintains level automatically after laser is rough-leveled
- Flashing out-of-level LED
- Eliminates faulty readings by sending out-of-level signal to receiver

LL200 400' Diameter



LL500 Laser Level

- 1500' diameter compensated laser includes HR500 receiver
- The LL500 is highly stable for long-range accuracy even in extreme temperatures
- Out-of-level indicators include flashing LED, stop rotation and signal shut-off.
- Three power option: alkaline batteries, NiCad batteries or solar power
- HR500 features a light weight, rugged, waterproof magnesium housing, a 15-channel linear LCD display and dual-sided photocells

LL500 1500' Diameter



1452GC-2 Digger Package

- 1452GC 1000' diameter self-leveling laser "digger package" with CR600 combination receiver
- CR600 receiver can be used on a grade rod or as a machine control receiver on an excavator or dozer
- 1452GC laser level features automatic horizontal self-leveling eliminating rough leveling

1452GC-2



1452GC Laser Level

- 1000' diameter self-leveling laser includes HR400 receiver
- Completely automatic horizontal leveling system
- Visible spotting laser beam
- Fixed rotation speed
- Rechargeable batteries
- 5/8-11 tripod mounts
- HR500 features dual-sided photocells to let you receive the beam from multiple directions while maintaining convenient control and view of the receiver

1452GC



CR600 Laser Receiver

- Combination receiver can be handheld, rod-mounted or used as a machine mounted receiver on backhoes, small excavators and skid-steers
- Simultaneous 5-channel super bright green and red LED display for easy reading even in poor light
- Wrap-around receiver cells with continuous pick-up through an operating range of 270°
- Lightweight, rugged, waterproof magnesium housing that can survive a 10 foot drop onto concrete

CR600 Combo Receiver



AL124-1 Optical Auto Level

- 24x auto-level kit includes tripod and grade rod
- Magnesium dampened compensators keep level stable during wind or vibration
- Built-in angle circle eliminates the need for another instrument for basic short-range alignments
- Bubble mirror makes it easy to see and level regardless of auto-level position
- Universal base plate compatible with most tripods including dome and flat-head

AL124-1 24X Level w/ Grade Rod & Tripod



AL120-1 Optical Auto Level

- 20x auto-level kit includes tripod and grade rod
- Built-in sighting line
- Continuous slow motion screws for ease and comfort
- Universal base plate compatible with most tripods including dome and flat-head
- Plastic/rubber controls give you gripping ability even in wet or cold conditions
- Bubble mirror makes it easy to see and level regardless of auto-level position

AL120-1 20X Level w/ Grade Rod & Tripod



Aluminum Tripod

2161

If You Don't See It, Call And Ask About Our Special Order Program

E-MAIL sales@verticalsolutions.net



LG2 Laser Pointer

- Line generator for squaring and layout of partitions, wall and floor tile
- 2 beams at 90°
- Unlike chalk lines you can use the LG2 over wet mastic and concrete
- Precise 90, 45 and 22.5 degree angles are easily generated with the built-in protractor

LG2 Line Generator



Spectra LP3 Laser Pointer

- Self-leveling
- Three-beams up to 30 feet
- For plumb reference and point transfers from below to above
- Level reference for leveling cabinets, counter tops, windows and decks
- Can be used for installation of new walls, fixtures, putting in footings and truing walls
- Designed for single operator use

LP3



Spectra LP4 Laser Pointer

- Self-leveling for accurate positioning
- Four-beam pointer, up, down, level and square
- Ideal for installation of fixtures, putting in walls and leveling foundations
- Simultaneous level and square reference for raised-access floors, decks, and anchor bolt placement
- Projects all four beams up to 100 feet

LP4



Spectra Electronic Distance Measuring Device

- Easily visible red laser for fast targeting
- "Area", "Volume" and "Continuous" measurement keys
- Includes accessory for corner and edge measurement
- Bubble level for above ground accuracy

HD150



Cordless Rotary Laser Combo Kit

Interior/Exterior

- Manual leveling system is accurate to $\pm 1/4"$ per 100
- Multi-voltage adapter accepts XR™, XR+™ and compact DEWALT batteries 9.6V - 18V
- Dual side-by-side laser diodes for an extremely bright, visible beam
- Protected rotary head & side impact roll cage for increased durability
- Built-in wall, floor and tripod mounts allow fast, easy setup for most common applications
- Digital laser detector extends interior & exterior range to 600'

DW073KD



18V Cordless Rotary Laser Combo Kit

Interior

- Manual leveling system is accurate to $\pm 1/4"$ per 100
- Multi-voltage adapter accepts XR™, XR+™ and compact DEWALT batteries 9.6V - 18V
- Dual side-by-side laser diodes for an extremely bright, visible beam
- Protected rotary head & side impact roll cage for increased durability
- Built-in wall, floor & tripod mounts allow fast, easy setup for most common applications
- Built-in bump sensor alerts user if laser has been bumped after leveling

DW073K



Self-Leveling Rotary Laser Combo Kit

Interior/Exterior

- Fully automatic horizontal & vertical self leveling with out-of-level shutoff, ensures accuracy, and reduces set up time
- Multi-voltage adapter accepts all DEWALT batteries 9.6V - 18V
- Protected rotary head & weatherproof design deliver interior & exterior jobsite durability
- Bright, sharp, high power beam delivers maximum visibility, even over long distances
- Wireless (IR) Remote Control operation
- Digital Laser Detector

DW077KD



Construction Tripod

- Industry standard 5/8" x 11 mounting threads, flat head design
- Quick-Release legs for fast & easy setup
- Height 68" opened/42" closed
- Lightweight, durable aluminum construction
- Pointed steel feet are stable on any terrain
- Built in strap for easy transport

DW0736 Construction Tripod...\$115