

POWER TOOLS



POWER TOOLS



DeWalt 18V Cordless Drill and Reciprocating Saw

DC987 XRP™ 1/2" drill/driver, DC385 reciprocating saw, 1 hour charger, (2) 18V XRP™ batteries, 360° side handle, double ended screwdriver bit, reciprocating saw blade, heavy-duty kit box.

#RS121



DeWalt 18V Reciprocating Saw Blades

15 piece wood/metal cutting reciprocating saw blade set in a medium tough case.

#RSB18



DeWalt 4-1/2" Grinder

Sander/Grinder, Size 4 1/2 Inches, Current @ 120 VAC 7.5 Amps, Cord 8 Feet, 2 Conductors, No Load Speed 10000 RPM, Spindle Thread Size 5/8-11 Inches, Tool Length 10.3 Inches, Tool Weight 4.5 Pounds, Features Paddle Switch and Lock On Button.

#GR412



Replacement Wheel Concrete and Masonry Cutting and Grinding

4 1/2" x 1/4" x 7/8"
concrete/masonry
grinding wheel.

#4524



Replacement Wheel General Purpose Cutting and Grinding

4 1/2" x 1/4" x 7/8"
general
purpose metal grinding wheel.

#4514

POWER TOOLS



DeWalt 18v 1/2" Cordless Drill Kit

Includes 1 hour charger, (2) XRT Pack extended run-time batteries, carrying case, double ended bit, anti-slip handle, 3-speed all metal transmission.

#CD137



DeWalt 7-1/4" Circular Saw

Rear pivoted depth of cut, 50° bevel, brake, carry case.

#DCS714

DeWalt Chopsaw

Features:

- 15.0 Amp/3.2 HP (maximum motor HP) motor provides overload capacity, increasing performance and durability
- Ergonomically designed "D" handle provides a more comfortable hand position reducing fatigue and increasing productivity
- Quick-lock vise allows for fast clamping on different size materials to increase productivity
- 45° pivoting fence allows for fast and accurate angle cuts
- Steel base allows users to weld jigs or stops directly onto the base
- Spindle lock allows users to make wheel changes fast and easy saving time and money
- Top handle allows the saw to be carried around easily
- Chain lock-down allows the head of the saw to be locked in the carrying position

#CS690



DeWalt Band Saw


Features:

Rubber bumpers protect guards from jobsite abuse. Lightweight and well-balanced design allows for more accurate cuts. Innovative sight light allows the user to see cut line in any jobsite environment. Integrated hang hook allows user to hang the saw without damaging front handle or castings. Powerful 6 amp motor designed to withstand jobsite applications 4-3/4" deep cut capacity for round or rectangular stock. Dual bearing blade guide rollers increase durability in the blade support system. Durable and adjustable material guide allows the user to adjust for various jobsite materials. Large front handle allows for more hand space and control. Ergonomic soft grip back handle provides comfort during use. Speed control knob allows user to tailor the blade speed for various applications

#2877



POWER TOOLS



POWER TOOLS

DeWalt 14 Gauge Nibbler



- Powerful, 6.5 Amp, motor for long life in continuous-duty applications
- Round punch allows 360° pivot while cutting
- Rotating head allows changing cutting directions as desired
- No distortion to material being cut
- Paddle switch for convenient one-handed operation
- Easy to change punch and die saving time and money
- Gear case constructed of strong aluminum alloy for maximum durability

#DN898

DeWalt 14.4v 3/8" Right Angle Drill



- 2 speed ranges 0-400/0-1,250 rpm for increased user flexibility providing a wide range of applications
- 210 in.-lbs. of maximum torque for increased applications such as turning large bits and fasteners
- Multi-grip trigger provides comfort and convenience by allowing the user to get into tighter spaces while still having access to the trigger
- Variable speed and reversing gives the user the ability to control speed for greater accuracy, and the convenience of reverse
- Durable, right angle transmission with sealed ball bearing for a longer tool life

#AD960



DeWalt 2" Magnetic Drill Press

Current at 120 VAC 10 amps, drill 7/16-2 inches, drill point pressure 1200 lbs, drill travel 4.25 inches, drill to center from base 2 inches, chuck size 2 inches, no load speed 375 RPM, tap 3/4 inch, tool length 22 inches, tool weight 49 lbs. Includes motor, base annular cutter adapter.

#DP1024



DeWalt 1/2" D-Handle Drill

AC/DC switch, multi-position rear and side handles; reversing, ball and roller bearings.

#DHD12



DeWalt 18 Gauge Shear

0-2500 spm; 5.0 amps; 8 ft. cord, ball and roller bearing, variable speed trigger switch.

#D18GS

E-MAIL sales@verticalsolutions.net

POWER TOOLS



DeWalt Heavy-Duty 1-9/16" Spline Rotary Hammer Kit

Features:

- 11.0 amp motor delivers high output and overload protection
- Electronic Variable Speed allows the user to control the speed of drilling and chipping
- 7.3 ft/lbs of impact energy delivers up to 42% faster drilling and chipping applications than the competition
- Spline toolholder is compatible with all spline drive bits
- Rubber grip helps reduce the level of vibration felt by the user when operating the tool
- Rear handle mount means less bending over when using tool in down drilling applications
- Factory clutch helps reduce the tools reaction to embedded steel when bits "lock-up" while in operation, preventing injury
- Modular construction allows service technicians to repair tools quickly for less down time when you service tools
- 360° side handle allows user the ability to position the side handle wherever it best suits the application

Includes:

- 360° side handle • depth rod • heavy-duty kit box

#HD2550



DeWalt 18V Cordless Impact Wrench

Battery, charger, plastic carry case

#IW057

Impact Socket – 1/2" Drive

3/8"

#IS38

3/4"

#IS34

15/16"

#IS1216

1-1/8"

#IS118

Rotary Hammer Drill Bits

1/4"

#RHB14

3/8"

#RHB38

1/2"

#RHB12

5/8"

#RHB58



Stepper Bit

#SB424



Complete Drill Set 58pc. Contractor Pk.

#DS58



Complete Drill Set

100 pc. Tradesman Set

#DS100

POWER TOOLS



POWER TOOLS



DeWalt 15 Minute Quick Charger

- Charges in 15 minutes or less minimizing down time for charging
- Charges all DEWALT® 7.2V-18V batteries (except Univolt® batteries) so users need only one charger for multiple cordless products

#D15



DeWalt 1 Hour Charger

- Charges all DEWALT® 7.2V - 18V batteries (except Univolt batteries) so users need only one charger for multiple cordless products
 - Charges the battery in 1 hour or less thus minimizing down time
- The DEWALT 3-stage charging system provides maximum run-time and extends overall life of the battery

#D1H



Great for Car Tops Cabs or Controller!



Complete Line of DeWalt Products Available! Call Us!

DeWalt 18V Cordless Wet/Dry Vacuum

Portable Wet/Dry Vacuum, Battery Powered 12.0, 14.4 and 18 Volt Batteries Or 120 Volt Ac Power, Heavy Duty Washable Filter 99.7% Efficient At 0.3 Microns, Air Flow 60 Cfm, Tank Capacity 2 Gallon, Static Pressure 52 Inches, Tank Type Poly, Tank Orifice 1-1/4 Inch Diameter For 1-1/4 Inch Hose And Accessories, On Board Vacuum Hose Storage, Drain Port for Standard Garden Hose.

#VC314



Optional Accessories Pickup Kit, Size 1 1/4 Inches, 8 Pieces, Wet/Dry Vacuum

#VCA334

POWER TOOLS

DeWalt Quick Change System



DeWalt RAPID LOAD Holder

RAPID LOAD™ provides quick and easy accessory changes without rechucking. The accessories have a hex shank locking system to prevent slipping. The holder fits all 3/8" and 1/2" cordless and corded drills. **#RLH3812**

Accessories



Step Drill Bits

Multi-purpose drilling; starts on contact, no center punch required.
#DW2595 - 1/8" - 1/2"
#DW2596 - 1/4" - 7/8"



Power Auger Bit

4-1/2" length
#DW2561 - 1/2"
#DW2563 - 3/4"



Rotary Masonry Drill Bit

#DW2571 - 3-piece Rotary Masonry bit set
#DW2572 - 5/32" bit
#DW2573 - 3/16" bit
#DW2574 - 1/4" bit



Spade Bits

#DW1494 - 3-piece Woodboring set
#DW1403 - 3/8" bit
#DW1405 - 1/2" bit
#DW1407 - 5/8" bit
#DW1409 - 3/4" bit
#DW1411 - 7/8" bit
#DW1413 - 1" bit



Power Bit

#DW2022 - #2 Phillips
#DW2033 - #2 Square recess



Magnetic Drive Guides

#DW2054 - Compact magnetic drive guide
#DW2055 - 6" magnetic drive guide




Socket Adapters

#DW2541 - 1/4" Socket Adapter
#DW2542 - 3/8" Socket Adapter



Countersinks

#DW2535 - 3-piece Countersink set
#DW2512 - 6-piece Countersink set



Magnetic Nut Drivers

#DW2218 - 1/4" Nut Driver
#DW2219 - 5/16" Nut Driver

POWER TOOLS -- HILTI



POWER TOOLS

Hilti's Full Service Repair Program

When you buy Hilti, you are buying tools that are durable, reliable and stand up to the most demanding jobs. Even so, sometimes a tool needs maintenance or repair service. We stand behind what we sell by offering a Full Service Repair Program to provide Total Customer Satisfaction to our tool owners and users worldwide.

Effective January 2001, select Hilti tools will be covered by a complete service and repair warranty for up to 2 years! This Full Service Repair Program includes: transportation of the tool to and from Hilti's repair center, maintenance service, repair and replacement of all worn out or defective parts, functional testing and adjustment and safety check after any repair. The Full Service Repair Program is just another reason why Hilti stands above the rest!

So now when you purchase a select Hilti rotary hammer, combihammer, breaker, diamond coring system, laser positioning system, or ferrosan product you will receive, at no additional charge, a 2 year worry-free warranty. This means your tool will be serviced quickly and reliably with no additional cost to you during the full service warranty period. Call a Hilti Customer Service Specialist at (800) 879-8000 to learn more about this offer by Hilti to provide excellent service after the sale!



**Hilti
Laser24**
#HL24



Hilti TE 6-S Rotary Hammer

- Full hammering power for fast drilling in concrete and masonry
- Precision rotary hammer drilling with 2/3 hammer reduction for drilling in brittle materials
- Rotation only mode for drilling into wood and steel
- Optional Dust Removal System for dust free drilling

#TE6

**Complete
Line of
Hilti Products
Available!
Call
Us!**



Light Duty Anchor Kit Box

One box with a variety of anchors. For use in a wide range of base materials. Easily moved from job to job. Reduces overall purchasing cost. Customize the box after the initial purchase. Contains HLC Sleeve Anchors, Metal HIT, HPS-1, HUD-1, HSP, HFP, KWIK Tog, and Toggler Bolt

#AB4984



Hilti TE-CX Bit

For drilling into concrete and masonry; carbide tipped; length: 6 in.; package of 6.

Pt. #	Diameter/Length Drilling Depth	
#H1026	1/4-6	4"
#H1027	3/8-6	4"
# H1026	1/2-6	4"
#H1027	5/8-8	5-1/2"

E-MAIL sales@verticalsolutions.net