



## Extension Cords

- Vinyl jacket resists moisture, abrasion, and prolonged exposure to sunlight
- UL Listed for Outdoor Use
- Meets OSHA Requirements
- 15 AMPS/125 Volts/1875 Watts



02608-00-03



02609-00-03

**02608-00-03** 50' 10/3 Orange Vinyl Extension Cord Coleman Cable

**02609-00-03** 100' 10/3 Orange Vinyl Extension Cord Coleman Cable

## Orange Ext. Cords

- Vinyl jacket resists moisture, abrasion, and prolonged exposure to sunlight
- UL Listed for Outdoor Use. Meets OSHA Requirements. 15 AMPS/125 Volts/1875 W



02509-88-03

**02508-88-03** 50' 12/3 Orange Vinyl Ext. Cord Coleman Cable

**02509-88-03** 100' 12/3 Orange Vinyl Ext. Cord Coleman Cable

**02508-88-03** 50' 12/3 Orange Vinyl Ext. Cord Coleman Cable

## 12/3 Vinyl STW (600V) Twist-lock Extension Cords

- Vinyl jacket resists moisture, abrasion, and prolonged exposure to sunlight
- UL Listed for Outdoor Use. Meets OSHA Requirements




09028-88-02



09029-88-02

**09028-88-02** 50' 12/3 Vinyl Twist-Lock Extension Cord Coleman Cable

**09029-88-02** 100' 12/3 Vinyl Twist-Lock Extension Cord Coleman Cable



09209-88-02

09208-88-02

## 12/3 Vinyl SJTW (300V) Twist-lock Extension Cords

- Vinyl jacket resists moisture, abrasion, and prolonged exposure to sunlight
- UL Listed for Outdoor Use. Meets OSHA Requirements

**09208-88-02** 50' 12/3 Vinyl Twist-Lock Ext. Cord Coleman Cable

**09209-88-02** 100' 12/3 Vinyl Twist-Lock Ext. Cord Coleman Cable

**09208-88-02** 50' 12/3 Vinyl Twist-Lock Ext. Cord Coleman Cable



09022-88-02

09023-88-02

## 20" 12/3 Vinyl Twist-lock Adapters

- Male 20A Twist-Lock plug distributes power to 20A Twist-Lock Female plugs
- Vinyl jacket resists moisture, abrasion, and sunlight
- UL Listed for Outdoor Use. Meets OSHA Requirements

**09023-88-02** 20" 12/3 Vinyl "W" Twist-Lock Adapter

**09022-88-02** 20" 12/3 Vinyl "Y" Twist-Lock Adapter

**09022-88-02** 20" 12/3 Vinyl "Y" Twist-Lock Adapter



01788-00-02



01688-00-02



01689-00-02

## All Weather Extension Cords

- Polar/Solar® Extension Cords provide superior abrasion resistance and remain flexible to -67°F
- The lightweight jacket is flame retardant and resists oils, greases, ozone, and chemicals
- Clear molded ends feature power indicator light
- UL Listed and CSA Certified for Outdoor Use. Meets OSHA Requirements. 15 AMPS/125 Volts/1875 Watts

**01688-00-02** 50' 12/3 Extension Cord Polar/Solar

**01689-00-02** 100' 12/3 Extension Cord Polar/Solar

**01788-00-02** 50' 10/3 Extension Cord Polar/Solar\*

**01789-00-02** 100' 10/3 Extension Cord Polar/Solar\*

\*Not CSA Certified



01910-00-02



01911-00-02



01912-00-02

## Generator Extension Cords

- Vinyl jacket resists moisture, abrasion, and exposure to sunlight
- The Tri-Source® is a 3-Way Power Block providing 3 additional outlets for power distribution
- NEC Hard Usage, 01910-00-02 UL Listed for Outdoor Use

**01910-00-02** 25' 12/3 15 AMP Generator Cord-straight Coleman Cable

**01911-00-02** 25' 10/3 20 AMP Generator Cord-straight

**01912-00-02** 25' 10/3 30 AMP Generator Cord-twist Coleman Cable



02832-00-02

02841-00-02



03482-00-02

## GFCI Cords

- Polar/Solar® Extension Cords provide superior abrasion resistance and remain flexible to -67°F
- The lightweight jacket is flame retardant and resists oils, greases, ozone, and chemicals
- The Tri-Source® is a 3-Way Power Block providing 3 outlets for power distribution

**02832-00-02** 2' 12/3 GFCI Extension Cord Tri-Source®

**02841-00-02** 3' 12/3 GFCI Extension Cord Tri-Source®

**02841-00-02** 3' 12/3 GFCI Extension Cord Tri-Source®



04112-88-03

## Tri-Source® Cords

- The Tri-Source® is a 3-Way Power Block providing 3 additional outlets for power distribution


**03482-00-02** 2' 12/3 Extension Cord Tri-Source®

**04112-88-03** 2' 12/3 Vinyl Extension Cord Tri-Source®

**09024-88-02** 2' Triple Tap Locking Adapter 20A to 15A Coleman

**09024-88-02** 2' Triple Tap Locking Adapter 20A to 15A Coleman

*If You Don't See It, Call And Ask About Our Special Order Program*



## Portable Power Distribution Boxes

- (1) NEMA L6-30R 30A 250V Twist-Lock Receptacle
  - (6) NEMA L5-20R or 5-20R 20A 15V Twist-Lock Receptacles
  - California Style flanged (covered 01960 & 01970) inlet and each outlet circuit breaker protected
  - 20A outlets GFCI protected
- 01950-00-06** ETL Listed Distribution X-Treme™
- 01960-00-02** ETL Listed Power Dist. (Twist-Lock) X-Treme™
- 01970-00-02** ETL Listed Power Dist. (Straight) X-Treme™



## 6/3-8/1 50A Twist-Lock SEOW Cords

- Temporary power cords manufactured using rugged 600 volt Type SEOW cable
  - Type SEOW construction provide greater abrasion/wear resistance for longer cord life
  - Designed for use with temporary power distribution centers
- 01918-00-08** 50' 6/3-8/1 50A Twist-Lock SEOW Cord Coleman.
- 01919-00-08** 100' 6/3-8/1 50A Twist-Lock SEOW Cord Coleman




## Replacement Ends for Temporary Power Cords

- Replacement ends are constructed with an impact and chemical resistant nylon
  - Neoprene cord gasket on plug and connectors seals out moisture and dust
- 05974-00-00** 50A Female Replacement Cord End
- 05975-00-00** 50A Male Replacement Cord End Coleman Cable
- 01920-00-08** 6/3-8/1 50A Y-Adapter 1 Male to 2 Female Coleman



## 9" 12/3 Vinyl Locking Adapters

- Male 15A standard plug converts to 20A Twist-Lock female plug
  - Male 20A Twist-Lock plug converts to 15A standard plug
  - Rated for extra hard usage
  - UL listed for outdoor use
  - Meets OSHA requirements
- 09020-88-02** 9" 12/3 Vinyl Locking Adapter 15A to 20A
- 09021-88-02** 9" 12/3 Vinyl Locking Adapter 20A to 15A



## 2 (500W) Halogen Lights On Tri-pod

- Large die cast light heads
- Separate on/off power switches
- Adjustable Tri-Pod stand

**07776-89-00** 2 (500W) Halogen Lights on Tri-Pod Luma-Site®



## 500 W Hand-held Halogen Light

- Large die cast light heads
- Pivot handle on hand-held base

**07775-89-00** 500 W Hand-Held Halogen Light Luma-Site®



## 50' Temp Light - Metal Guard

- Molded light sockets
- Molded male and female ends
- Accommodates A-19 or A-23 bulbs up to 150 watts
- UL listed for outdoor use
- Meets OSHA Requirements. 15 AMPS/120 Volts/1800W

**07538-88-02** 50' Temp Light - Metal Guard, Std Plug Cord-O-Lite™

**07558-88-02** 50' Temp Light - Metal Guard, Twist-Lk Cord-O-Lite™

**07539-88-02** 100' Temp Light - Metal Guard, Std Plug Cord-O-Lite™

**07559-88-02** 100' Temp Light - Metal Guard, Twist-Lk Cord-O-Lite™

## TOWER MFG CORP



## Circuit Breaker Cords

- Circuit breaker plug with lighted switch and 14 gauge 3 wire grounded power cords
- C629165** 15' Circuit breaker cord Overload Guard
- C629166** 40' Circuit breaker cord Overload Guard
- C629167** 80' Circuit breaker cord Overload Guard

## 3' & 3 Outlet Circuit Breaker Cord

- Circuit breaker plug with lighted switch and 12 gauge 3 wire grounded power cord
- C629171** 3' Circuit breaker cord Overload Guard



## GFCI Boxes & Adapters


- 3034 0002 2-wire GFCI adapter Shockbuster
- 3033 9011 3-wire GFCI adapter Shockbuster
- 3033 8062 GFCI with 3 outlet plug Shockbuster
- 3032 2005 Duplex GFCI box Shockbuster
- 3033 4054 GFCI quadbox Shockbuster

## Woods®

### 10/3 SJTW Orange Ext. Cords

- Woods SJTW cords resist deterioration from moisture and abrasion. The wire has a 300 volt rating
- Woods outdoor cords are manufactured with stranded, cabled copper conductors and solid molded plugs for longer life

0517 50' 10/3 SJTW Orange Extension Cord Woods  
 0518 100' 10/3 SJTW Orange Extension Cord Woods  
 0530 100' 12/3 SJTW Orange Extension Cord Woods  
 0529 50' 12/3 SJTW Orange Extension Cord Woods



### 2' 12/3 STW Yellow Jacket Power Block Cord


- Yellow Jacket 3 outlet Power Blocks feature exclusive high gloss, extra durable super flexible wire and lighted plugs
- Stands up to heat, cold and rough use on jobsites

2882 2' 12/3 STW Yellow Jacket Power Block Cord



### 2' 12/3 STW Power Block Extension Cord

0824 2' 12/3 STW Orange Power Block Extension Cord Woods



### 12/3 Adapter w/Power Block 20A to 15A

- Woods Twist-to-Lock program is designed to serve the needs of contractors
- Manufactured with stranded conductors, bright yellow jacket and solid molded plugs

1442 20" 12/3 Adapter w/ Power Block, 20A to 15A Woods

### TOWER 4 Outlet Box, 8'

- 4 outlet power box with covered outlets
- 14 gauge 3 wire grounded cord
- Lighted circuit breaker switch

C664502001 4 outlet box--8' Overload Guard

C671135

### TOWER 6 Outlet Strip, 8'

- 6 outlet power strip
- 8 foot 14 gauge 3 wire
- Lighted circuit breaker switch

C671135 6 outlet strip--8' Overload Guard

C671136

### TOWER 8', 6 Outlet Transformer Strip




- 6 outlet strip with 2 outlets with space for transformer
- 8 foot 14 gauge 3 wire
- Lighted circuit breaker switch

C671136 6 outlet transformer strip--8' Overload Guard

### Yellow Jacket Extension Cords

- Woods exclusive Yellow Jacket compound is more flexible and abrasion resistant at any temperature than standard vinyl compounds
- Yellow Jacket cords are three times as abrasion resistant as standard vinyl, making these cords the toughest on the jobsite
- PowerLite indicator plug glows when the cord has power
- Extra heavy, clear molded plugs are rugged, durable and oversized

2884 50' 12/3 SJTW Yellow Jacket Extension Cord  
 2885 100' 12/3 SJTW Yellow Jacket Extension Cord  
 2805 50' 10/3 SJTW Yellow Jacket Extension Cord  
 2806 100' 10/3 SJTW Yellow Jacket Extension Cord



### 12/3 (300V) SJTW Twist-to-Lock Extension Cords

- Woods Twist-to-Lock program is designed to serve the needs of contractor customers

1405 50' 12/3 SJTW Twist to Lock Extension Cord, 300V  
 1406 100' 12/3 SJTW Twist to Lock Extension Cord, 300V  
 1446 100' 12/3 STW Twist to Lock Extension Cord, 600V  
 1445 50' 12/3 STW Twist to Lock Extension Cord, 600V

### 12/3 STW Locking Adapters

1443 20" 12/3 STW Locking "W" Adapter Woods  
 1444 20" 12/3 STW Locking "Y" Adapter Woods  
 1441 9" 12/3 STW Locking Adapter, 15A to 20A Woods  
 1440 9" 12/3 STW Locking Adapter, 20A to 15A Woods

### Temporary Lights

- Quality temporary light strings are constructed with molded lamp sockets and non metallic lamp guards

2480 50ft Temporary Light String 12/3 200W  
 2481 100ft Temporary Light String 12/3 200W  
 2484 50ft 12/3, STW 200W yellow Twist-to-Lock  
 2485 100', 12/3, STW 200W yellow Twist-to-Lock

Portable 500 Watt "S" Handle Worklight  
 27000 Portable 500 Watt "S" Handle Worklight

Dual Light W/Tripod Stand 500W  
 27002 Dual Light with Tripod Stand 500W



*If You Don't See It, Call And Ask About Our Special Order Program*